

# **SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH), as amended by Regulation (EU) 2020/878

Product Name: SIFALUMIN NO 37

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier: SIFALUMIN NO 37

**SECTION 2: Hazards identification** 



Hazard Statements:

- H373: May cause damage to organs through prolonged or repeated exposure (inhalation of aluminium oxide dust/fume)



# **SECTION 3: Composition/information on ingredients**

Substance	CAS No.	EC No.	Concentration	Classification (CLP)
Aluminium	7429-90-5	231-072-3	88-92%	-
Silicon	7440-21-3	231-130-8	8-12%	-

Mixture of metal alloys in solid wire form. Main constituents

### **SECTION 4: First aid measures**

Inhalation: Move to fresh air. Seek medical advice if symptoms persist. Skin contact: Wash thoroughly with soap and water. Eye contact: Rinse cautiously with water. Remove contact lenses. Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention.

# **SECTION 5: Firefighting measures**

Use dry chemical, CO<sub>2</sub> or alcohol-resistant foam. Avoid water jet. Fumes may contain metal oxides. Firefighters should wear SCBA.

#### **SECTION 6: Accidental release measures**

Avoid dust formation. Use mechanical means to collect material. Ensure good ventilation.

### **SECTION 7: Handling and storage**

Ensure adequate ventilation. Avoid inhalation of fumes. Store in a dry place in sealed containers.

#### **SECTION 8: Exposure controls/personal protection**

Exposure controls/personal protection

Engineering controls: Use local exhaust ventilation. Monitor fume levels. Personal protection: Safety goggles, welding helmet, gloves (EN 388), flame-resistant clothing, and suitable RPE.

Exposure limits (EH40/UK WEL, 4th edition, 2020):

- Nickel (inhalable): 0.5 mg/m<sup>3</sup> TWA (Sk)

- Chromium: 0.5 mg/m<sup>3</sup> TWA
- Manganese (respirable): 0.05 mg/m<sup>3</sup> TWA

# **SECTION 9: Physical and chemical properties**

Form: Solid wire. Colour: Brown. Odour: None. Melting point: ~1440°C. Solubility: Insoluble in water.

#### **SECTION 10: Stability and reactivity**

Stable under normal use. Avoid strong acids and oxidisers. No hazardous polymerisation expected.

### **SECTION 11: Toxicological information**

Nickel may cause allergic skin reactions. Prolonged inhalation may affect lungs. Not expected to be acutely toxic. Fumes may irritate respiratory tract.

### **SECTION 12: Ecological information**

Not readily biodegradable. Avoid environmental release. Metal dust may be harmful to aquatic organisms.

#### **SECTION 13: Disposal considerations**

Dispose of in accordance with local/national regulations. Do not incinerate. Collect metal waste for recycling where possible.

#### **SECTION 14: Transport information**

Not classified as hazardous for transport. No special precautions required.

#### **SECTION 15: Regulatory information**

**Regulatory** information

Regulations: Complies with REACH Regulation (EC) No. 1907/2006, as amended by (EU) 2020/878.

Prepared in anticipation of REACH Revision 2025 (Q4 expected implementation). Complies with UK COSHH Regulations and CLP Regulation (EC) No. 1272/2008.

#### **SECTION 16: Other information**

This SDS has been prepared in accordance with Regulation (EU) 2020/878. It is based on the best available knowledge as of issue date.